

09767935.012301




FIG. 1

FIG. 2




FIG. 2

FIG. 3B

All Pictures	
Size	Qty
3.5x5	00000
4x6	00000
5x7	00000
8x10	00000
Cstm	0

FIG. 3C


	
Size	Qty
3.5x5	00000
4x6	00000
5x7	00000
8x10	00000
Cstm	●

FIG. 3D



FIG. 3F





FIG. 3A

FIG. 3E

Select pictures for storage	All Pictures All Printed Pictures None
-----------------------------	--



TOP SECRET




FIG. 5




FIG. 6A




FIG. 6B




FIG. 7




FIG. 9A

10A5335C2351449FED3A0903FA3C4816

136

FIG. 9B

HP69549456602D808

142


FIG. 9C

140

144

FIG. 9A

128
↙



n-Bit Data Key

FIG. 9D

09267935, 04123104
FOUO, SEE 562960

FIG. 10A




FIG. 10A

254




FIG. 10B

09767935-012301
106210-56629260




FIG. 10C

FIG. 10C

09767935-01301
T0E210-556/9260




FIG. 10D

270




FIG. 10E





FIG. 10F

097995 01301
FIG. 10F



716. 106

SECRET



264

334

Mark the image selection area corresponding
to each image file to be selected

Mark the storage selection area to specify
the storage operation to be performed, such as
storing all image files,
storing the selected image files, or
storing no image files

336

END

FIG. 10H

09767935.012304
FIG. 10H




FIG. 11A




FIG. 11B




FIG. 11C

34





FIG. 12

09767935.013104

Image
Processing
Parameters
400

Operation
402



I

52

Size	Qty
3.5x5	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
4x6	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
5x7	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
8x10	<input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
Cstm	<input checked="" type="radio"/>

Brightness

☐ Light
☐ Medium
☐ Dark

Color

Blue ☐ Red ☐
☐ ☐ ☐
Green ☐

Paper

☐ Plain
☐ Premium
☐ Photo
☐ Deluxe Photo

Operation

☐ Print
☐ Send
☐ Store

54'

FIG. 13





FIG. 14A



0976395.042401
FIG. 15




FIG. 15

FIG. 16




FIG. 16

FIG. 17





FIG. 17



Overriding Parameter Values
(marked on Proof Sheet)

580

Parameter	Value
Size:	3.5x5
Quantity:	1
Brightness:	Med
Color:	Normal
Paper:	Photo

Default Parameter Values
(entered at Command Interface)

FIG. 18